

	Type	Hits	Search Text	DBs
1	BRS	12	"4611916"	<b>US-</b> <b>PGPUB;</b> <b>USPAT;</b> <b>EPO; JPO;</b> <b>DERWENT</b> ; IBM_TDB
2	IS&R	8	(("4611916") or ("3635552") or ("5627666")).PN.	<b>US-</b> <b>PGPUB;</b> <b>USPAT;</b> <b>EPO; JPO;</b> <b>DERWENT</b> ; IBM_TDB
3	BRS	0	09/423948	<b>US-</b> <b>PGPUB;</b> <b>USPAT;</b> <b>EPO; JPO;</b> <b>DERWENT</b> ; IBM_TDB
4	BRS	693	356/450	<b>US-</b> <b>PGPUB;</b> <b>USPAT;</b> <b>EPO; JPO;</b> <b>DERWENT</b> ; IBM_TDB

	Type	Hits	Search Text	DBs
5	BRS	18330	<b>reference ADJ (plate sheet film object substance)</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
6	BRS	28	<b>S4 and S5</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
7	BRS	2	<b>WO ADJ "9851992"</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
8	IS&R	4	<b>("3635552").PN.</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>

	Type	Hits	Search Text	DBs
9	BRS	78057	<b>(test\$3 measur\$3) ADJ (plate sheet film object substance)</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
10	BRS	18330	<b>reference ADJ (plate sheet film object substance)</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
11	BRS	18330	<b>S10</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
12	BRS	78057	<b>(test\$3 measur\$3) ADJ (plate sheet film object substance)</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>

	Type	Hits	Search Text	DBs
13	BRS	78057	<b>S12</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
14	BRS	38133	<b>interferometer</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
15	BRS	737	<b>S14 with (S10 S12)</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
16	IS&R	11	<b>("3635552") or ("3873207") or ("5627666") or ("5420686").PN.</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>

	Type	Hits	Search Text	DBs
17	BRS	1060	<b>S14 same(S10 S12)</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
18	BRS	1060	<b>S14 same (S10 S12)</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
19	BRS	323	<b>S18 not S15</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
20	BRS	403	<b>S14 same (S10)</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>

	Type	Hits	Search Text	DBs
21	BRS	0	<b>S20 not (S15 S19)</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
22	BRS	97	<b>S20 not (S15)</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
23	IS&R	2	<b>("5127734").PN.</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
24	IS&R	0	<b>("5andad@19970515").PN.</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>

	Type	Hits	Search Text	DBs
25	BRS	0	<b>S14 and ad@19970515</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
26	BRS	38133	<b>S14 and ad@&lt;="19970515"</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
27	BRS	25073	<b>S26 and reference</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
28	BRS	10355	<b>S14 same reference</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>

	Type	Hits	Search Text	DBs
29	BRS	10355	<b>S28 and ad@&lt;="19970515"</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
30	BRS	3365	<b>polariz\$5 and S29</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
31	BRS	8606	<b>quarter ADJ wave ADJ (plate sheet)</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
32	BRS	694	<b>S30 and S31</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>

	Type	Hits	Search Text	DBs
33	BRS	530	<b>S32 not (S15 S19)</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
34	BRS	6	<b>rotat\$4 ADJ linear ADJ analyzer</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
35	BRS	71	<b>analyzer same rotat\$4 ADJ linear</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
36	BRS	71	<b>S35 and ad@&lt;="19970515"</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>

	Type	Hits	Search Text	DBs
37	BRS	71	<b>analyzer same rotat\$4 ADJ linear</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
38	BRS	28	<b>S37 and @ad&lt;="19970515"</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
39	BRS	4213	<b>S28 and @ad&lt;="19970515"</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
40	BRS	1155	<b>polariz\$5 and S39</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>

	Type	Hits	Search Text	DBs
41	BRS	212	<b>S40 and S31</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
42	IS&R	2	("6621546").PN.	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
43	BRS	556	<b>analyzer with quarter ADJ wave</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
44	BRS	91	<b>S14 and S43</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>

	Type	Hits	Search Text	DBs
45	BRS	32	<b>S44 and @ad&lt;="19970515"</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
46	BRS	14	<b>S45 not (S15 S19 S41)</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
47	BRS	0	<b>analyzer with variable ADJ polariz\$5 ADJ state</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
48	BRS	0	<b>analyzer same variable ADJ polariz\$5 ADJ state</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>

	Type	Hits	Search Text	DBs
49	BRS	38	<b>analyzer same variable ADJ polariz\$5</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
50	BRS	38172	<b>interferometer</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
51	BRS	2	<b>S50 and S49</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
52	BRS	66	<b>tun\$3 ADJ S50</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>

	Type	Hits	Search Text	DBs
53	BRS	2	panchratnam	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
54	BRS	82	pancharatnam	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
55	BRS	11	S50 and S54	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
56	BRS	6047	S50 with Mach	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>

	Type	Hits	Search Text	DBs
57	BRS	1635	<b>S56 and @ad&lt;="19970515"</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
58	BRS	643	<b>S50 with (Mach?Zender Mach-Zhender)</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
59	BRS	164	<b>S58 and @ad&lt;="19970515"</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
60	BRS	0	<b>(non ADJ mov\$3 non?mov\$3) ADJ (reference and object)</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>

	Type	Hits	Search Text	DBs
61	BRS	31	<b>(reference and object) with (non ADJ mov\$3 non?mov\$3 non ADJ mechanic\$2)</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
62	BRS	9717	<b>S50 and "46"</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
63	BRS	5	<b>S61 and S50</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
64	BRS	79	<b>S59 and reference and object</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>

	Type	Hits	Search Text	DBs
65	BRS	777758	<b>phase and "19"</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
66	BRS	72	<b>phase and S64</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
67	BRS	449	<b>S50 with (tun\$4 and phase)</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
68	BRS	102	<b>S67 and @ad&lt;="19970515"</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>

	Type	Hits	Search Text	DBs
69	BRS	99	<b>S68 not (S55 S61 S66)</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
70	BRS	17	<b>quarter ADJ wave and S69</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
71	BRS	11	<b>S70 and (reference and (object sample))</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
72	BRS	4	<b>S50 with (phase ADJ approach\$4)</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>

	Type	Hits	Search Text	DBs
73	BRS	686	<b>S50 same (Mach?Zender Mach-Zhender Mach-zenhder)</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
74	BRS	569	<b>(Mach?Zender Mach-Zhender Mach-zenhder) ADJ S50</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
75	BRS	61	<b>quarter ADJ wave and S74</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
76	BRS	7	<b>S75 and @ad&lt;="19970515"</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>

	Type	Hits	Search Text	DBs
77	BRS	72	<b>quarter ADJ wave and S73</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
78	BRS	64	<b>S77 not (S55 S61 S66 S70 S72 S76)</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
79	BRS	2	<b>S78 and @ad&lt;="19970515"</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
80	BRS	19	<b>(phase ADJ conjugate) ADJ S50</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>

	Type	Hits	Search Text	DBs
81	BRS	0	<b>quarter ADJ wave and S80</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
82	BRS	77	<b>S50 same (phase ADJ conjugate)</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
83	BRS	6	<b>quarter ADJ wave and S82</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
84	BRS	0	<b>S50 with analyzer with tunable ADJ liquid ADJ crystal</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>

	Type	Hits	Search Text	DBs
85	BRS	0	<b>S50 same (analyzer with (tunable ADJ liquid ADJ crystal))</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
86	BRS	0	<b>(analyzer with (tunable ADJ liquid ADJ crystal))</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
87	BRS	0	<b>(analyzer same (tunable ADJ liquid ADJ crystal))</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
88	BRS	0	<b>(analyzer same (tun\$4 ADJ liquid ADJ crystal))</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>

	Type	Hits	Search Text	DBs
89	BRS	27	<b>S50 with ( tunable ADJ liquid ADJ crystal))</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
90	BRS	1360594	"48" and @ad<="19970515"	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
91	BRS	8	<b>S89 and @ad&lt;="19970515"</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
92	BRS	33	<b>S50 same ( tunable ADJ liquid ADJ crystal))</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>

	Type	Hits	Search Text	DBs
93	BRS	11	<b>S92 and @ad&lt;="19970515"</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>
94	BRS	3	<b>S93 not S91</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB</b>